



1722 Alv

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Gronemeyer

Group No.: 3662

Serial No.: 09/281,566

Filed: March 30, 1999

Examiner: D. Phan

For: DIGITAL DETECTOR EMPLOYING  
COHERENT INTEGRATIONS

Assistant Commissioner for Patents

Box: Issue Fee

Washington, D.C. 20231

**TRANSMITTAL OF NEW DRAWING(S) TO CORRECT INFORMALITIES  
WITHIN THREE MONTH PERIOD OF RESPONSE SET IN NOTICE OF  
ALLOWABILITY (PTOL 37)**

NOTE: Applicant may correct any informalities in the drawings made by the Draftsman's objections on PTO-948 by filing new drawings with the changes incorporated therein. If the filing of the drawings are delayed until receipt of the "Notice of Allowability" (PTOL-37) the new drawings MUST be filed within the THREE MONTH shortened statutory period set for response in the "Notice of Allowability" (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).


NOTE: Corrected drawings as well as the issue fee should be addressed to: Box Issue Fee. Notice of November 30, 1990 (1122 O.G. 571 to 591).

NOTE: Applicant is required to submit ACCEPTABLE corrected drawings within the three month shortened statutory period set in the "Notice of Allowability" (PTOL-37). Within that three-month period, two weeks should be allowed for review by the Office of the correction. If a correction is determined to be unacceptable by the Office, applicant must arrange to have an acceptable correction re-submitted within the original three-month period to avoid the necessity of obtaining an extension of time and of paying the extension fee. THEREFORE, APPLICANT SHOULD FILE CORRECTED DRAWINGS AS SOON AS POSSIBLE. Notice of January 14, 1985 (105 O.G. 3).

---

**CERTIFICATE OF MAILING (37 CFR 1.8)**

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

  
Marianne Boland

Date: 5-16-01



SUBMISSION OF DRAWING(S)

1. To correct the informalities in the drawings as noted in the Draftsman's objection(s) on PTO-948 applicant submits herewith new drawing(s) for this application. Number of sheets of drawings submitted Fifteen (15) Pages.

*NOTE: According to 37 CFR 1.84(1), identifying indicia (such as the attorney's docket number, inventor's name, number of sheets, etc.) not to exceed 2 3/4 inches may be placed in a centered location between the side edges within three-fourths inch of the top of the edge. Either this marking technique on the front of the drawing or the placement of this information on the back of the drawing is acceptable. However, for identification of the application number, the PTO prefers that it be placed on the front. Notice of September 30, 1986 (1070 O.G. 47-59, 54-5).*

2. The three-month period of response set in the Notice of Allowability (PTOL 37) expires on June 6, 2001 and this submission is on or before this expiry date.

**Raymond W. Armentrout**  
**THOMAS, KAYDEN, HORSTEMEYER**  
**& RISLEY, L.L.P.**

Tel. No.: 770/933-9500

100 Galleria Parkway, Suite 1750  
Atlanta, Georgia 30339-5948



**CERTIFICATE OF MAILING**

I hereby certify that the below listed items are being deposited with the U.S. Postal Service as first class mail in an envelope addressed to:

**Assistant Commissioner for Patents  
Box: ISSUE FEE  
Washington, D.C. 20231**

on 5-16-01.

Marianne Boland  
Marianne Boland

In re application of: **Gronemeyer**

Art Unit: 3662

U.S. Serial Number: 09/281,566

Examiner: D. Phan

Filing Date: March 30, 1999

Our Reference Number: 050321-1180

Title: DIGITAL DETECTOR EMPLOYING COHERENT INTEGRATIONS

The following is a list of documents enclosed:

Return Postcard  
Transmittal of New Drawings to Correct Informalities  
Formal Drawings (15 Pages)

Further, the Commissioner is authorized to charge Deposit Account No. 20-0778 for any additional fees required. The Commissioner is requested to credit any excess fee paid to Deposit Account No. 20-0778.

Cert-Mailing-Reg.doc

02/00